



Guide Object of Lashing Worksheet

Sheer (or Shear) Lashing


Sheer lashing is used to lash two spars together.



How to make a Sheer lashing:

1. Lay two spars side by side.
2. Tie a clove hitch to one spar.
3. Make four loose wraps around the spars and four frapping turns between them.
4. Finish with a clove hitch.

Insert and Image of your object here:



Tripod Lashing


A Tripod lashing is made by laying three spars alongside each other, with the centre spar pointing in the opposite direction to that of the outside spars.



How to make a Tripod lashing:

1. Tie a clove hitch around one outside pole.
2. Loosely wrap the spars five or six times, then make the frapping on either side of the centre spar.
3. Finish the lashing with a clove hitch around the outside spar.

Insert and Image of your object here:




Definitions:

Clove hitch

Spar

Frapping

Useful Objects that can be made using Tripod lashing:



***A simple wash basin compartments**

***A dishwashing station with multiple compartments**

***A hanging water station**

***Stools**

***Triangular tables**

***Benches**

***Camp chairs shapes and designs**

***Bin holders**

***Tables**

***Shelters different**

***A triangular clothes rack**

***Supporting ends for a hammock**

***Gadgets for camp cooking, for example, a tripod for crane support or two tripods and a pole to support suspended pots.**